Registered No. M —1175.

62

The Mysore Gazette.

Vol. 65.] PUBLISHED BY AUTHORITY. [No. 28

BANGALORE, THURSDAY, JULY 10, 1930.

PART VI.

PUBLIC ADVERTISEMENTS.

FOREST DEPARTMENT.

KOLAR DISTRICT.

Abstract Notification dated 28th June 1930.

The attention of the public is invited to the sale notifications of Fuel coupes published in pages 754 to 755 of the *Mysore Gazette*, Part VI, dated 3rd July 1930.

M. A. VARADACHAR,
District Forest Officer.

TUMKUR DISTRICT.

Notification dated 2nd July 1930.

Notice is hereby given that sealed tenders will be received in the Office of the District Forest Officer, Tumkur District, Tumkur, up to 4 P.M., on the 28th July 1930 for "*Collecting and Rough-Dressing*" dry and fallen sandalwood and ground-hidden roots in the several Ranges of Tumkur District and delivering the same in Bangalore Sandal Koti during the official year 1930-31 as detailed in the subjoined table :—

Sl. No.	Name of Range	Name of Taluk	Approximate quantity to be collected and carted	Remarks
			Tons	
1	Tumkur ...	1. Tumkur Taluk ...	60	
2		2. Chiknayakanhalli Taluk	10	
3 & 4		3. Tiptur Taluk including Turuvekere Sub-Taluk.	5	

...ment unoccupied ...rg State Forests ...ions.

...or less

1. The contract will be for twelve months ending with 30th June 1931.

2. Tenders may be submitted either separately for each Taluk or for any number of Taluks together and should specify the rate per ton offered separately for sandalwood and separately for ground-hidden roots and also for carting the same to Koti from each Taluk or Taluks. The rate for carting must be given as "so much per one jungle mile and so much per one road mile" separately, at which he would undertake to execute the works.

3. Each tender must be accompanied by a deposit of Rs. 25 for each Taluk in currency notes as earnest money, in default of which the tender will be rejected. Covers containing the tender should be addressed to the District Forest Officer, Tumkur, duly registered, insured and superscribed "*Tender for the collection and carting of dry sandalwood and ground-hidden roots.*"

4. The final acceptance of any tender will rest with the Chief Conservator of Forests in Mysore, who does not bind himself to accept the highest or any tender or to assign any reason whatsoever for rejecting the same.

5. The acceptance of any tender will be duly communicated to the successful tenderer and the earnest money of other tenders will be returned to them.

6. The successful tenderer shall execute a bond on a proper stamped paper embodying terms enumerated here below within a week of the receipt of the orders and shall deposit in the Government Savings Bank a sum of Rs. 200 as earnest money for the due fulfilment of the terms of the contract. The deposit referred to here shall also include the earnest money referred to in para 3 *supra*.

7. Before commencing the work in any taluk or part thereof, due information should be given to the Amildar and the Forest Range Officer who will issue necessary orders to the patels concerned.

Conditions.

(*a*) The collection of dry and dead sandalwood and ground-hidden roots shall be extended to all State Forests, District Forests, Amrut Mahal Kavals, assessed and unassessed Government waste lands and to such of Inam, Jodi, Kayamgutta and Sarvamanya villages as of which, the holders are not entitled to the sandalwood either by sannads or judicial decrees.

(*b*) With regard to the removal of sandalwood from private holdings, only such of the trees as have been marked by the departmental subordinates shall be removed with the previous written permission of the Range Officer.

(*c*) The collection shall be confined to dead, fallen and decaying sandal trees and to ground-hidden roots. On no account shall green and mature trees be uprooted. Axes should not, as far as possible, be used in the uprootal and rough preparation of sandalwood. All trees must be properly uprooted leaving no pieces of roots containing heartwood in the grou. d.

(*d*) The sandalwood uprooted shall be roughl dressed in the jungle leaving a thin layer of less than half an inch of whitewood and shall be carted to the Koti. Each consignment to the Koti shall be covered by a passport issued by the departmental subordinates (Range Officer.) The trees should not be cut into billets but when the trees are very long, it may be sawn with saw into two pieces or more according to circumstances so as to be conveniently carried on cart. All earth must be removed from the trees. After uprooting the tree, the bark, and whitewood surrounding the heartwood should be carefully removed with the adze and hatchet as far as can be done without wasting any heartwood.

(*e*) The sandal so collected must be carted to the Bangalore Sandal Koti then and there as far as possible, but when unavoidably delayed for want of carts or on account of heavy rains, etc., they should be made over to (1) the Patel of the village near which it is collected and (2) if it is collected in a State Forest to the Forester or the beat guard in charge of the State Forest as the case may be. The contractor shall however bind himself to collect and cart two-thirds of the contracted quantity before the end of December 1930 and the balance by the 30th June 1931.

(*f*) The successful tenderer shall see that no injury is caused to the State Forests or property situated therein in the course of his operation and in the event of any such thing occurring through his negligence or of his men, he shall be made liable as per departmental rules. In case the sandal-

4. Each tender must be accompanied by a deposit of rupees one hundred and seventy- in cash or Government Promissory Notes, as earnest money and be superscribed "Tender estoring Chakarasanahalli Gonikere of Malur Taluk," in default of which, tenders will ject ed.

5. The final acceptance of any tender will rest with the Executive Engineer, who not bind himself to accept the lowest or any tender or to assign any reason whatever he rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be red to execute the usual contract bond in default of which his tender will be considered alled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be d on the notice board in the Executive Engineer's Office in due course. No enquiries ding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be ned.

9. The Tenderer must quote specific rates for all items both in words and in figures.

10. The Tenderer stating that the work would be executed at a certain percentage in s of or lower than the estimate will not be accepted.

act estimate for Restoring Chakarasanhalli Gonikere Reg. No. 93—643 of Malur Taluk

o.	Items of work	Per	Quantity
	Bund.		
	Earthwork to bund including watering and tamping including lead and lift.	C.yd.	3,841
	Turfing to bund	S.yd.	3,584
	Resetting old stone revetment	C.yd.	290
	New stone work	„	519
	Grade stones cutting figures and painting complete ...	Each	18
	Index stones do	„	13
	Registered no stone do	„	1
	Gauge stone do	„	1
	Cutting figures and painting the existing B. M. stones ...	„	2
	Jungle clearing and removing cut bills and cutting trees	Grade	10
	Cutting trenches and gripes to old bund and removing top soil of bund.	„	10
	Total bund ...	...	...
	Sluice.		
	Excavating and refilling earth	C.yd.	80
	Concrete in surki mortar	C.ft.	364
	Burnt brick in surki mortar	„	285
	Burnt stone slabs 4" to 6" thick	S.ft.	225
	Plastering with surki mortar	Sqrs.	5·44
	Providing plug and rod with locking arrangements ...	Lump	sum
	Drilling holes in cross and orifice slabs	Lump	sum
	Dismantling the old sluice	Lump	sum
	Total sluice ...	...	...
	Weir.		
	Earthwork excavation	C.yd.	68
	Surki mortar concrete	C.ft.	113
	Burnt brick in surki mortar	„	881
	Burnt stone slabs 4" to 6" thick	S.ft.	261
	Plastering with surki mortar	Sqrs.	8·99
	New stone work	C.yd.	70
	Providing joggle joints	No.	8
	Clearing weir site	Lump	sum
	Total of weir ...		
	... and weir contingencies ...		

to Sri Venkataramanaswamy Temple at Guttahalli, Bowringpet Taluk. An approxim estimate of quantities is given below. These quantities are not guaranteed. The work sh be completed by the end of June 1930.

2. The plans, detailed estimate and conditions may be seen at the Executive Engine Office at Kolar, between the office hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from Executive Engineer. The tenders should be accompanied by a statement in the fo given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Governm Promissory Notes, as earnest money, and be superscribed "Tender for constructing a Mah warara to Sri Venkataramanaswamy Temple at Guttahalli, Bowringpet Taluk," in default which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who do not bind himself to accept the lowest or any tender or to assign any reason whatever for rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor w be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiri regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The tenderer must quote specific rates for all items both in words and in figures.

10. The tenderer stating that the work would be executed at a certain percentage excess or lower than the estimate will not be accepted.

Abstract Estimate for constructing a Mahadwaram to Sri Venkataramanaswamy Temp at Guttahalli, Bowringpet Taluk.

Sl. No.	Items of works	Per	Quantity
1	Dismantling old mantap	Lump	sum
2	Earthwork excavation for foundations	C.yds.	111
3	Stone jelly concrete in chunam mortar	C.ft.	632
4	Old burnt stone in mortar.	"	337
5	Burnt stone mortar basement	"	317
6	Burnt brick in mortar superstructure	"	1,895
7	Chunam plastering	Sqrs.	37·44
8	White washing	"	37·44
9	Burnt stone slabs 6" thick neatly dressed.	S.ft.	25
10	Cut stone work	C.ft.	1
11	Fixing old burnt stone slabs in mortar basement alround...	"	19
12	Burnt brick in mortar cornice 9" including plastering ...	R.ft.	18
13	Burnt brick in chunam parapet wall 2½' high including plastering.	"	12
14	Rolled steel joists 3" x 5" at 10 lbs. per foot	Cwt.	4
15	Rolled steel beams 4" x 8"	"	4
16	Roofing with arched terrace including 8" concrete 3 layers of flat tiles chunam plaster complete.	Sqrs.	10·5
17	Providing a nite in the front parapet wall with an Image	Lump	sum
18	Teakwood door with battened shutters iron bars, etc., complete as per specification.	S.ft.	2
19	Teakwood windows with battened shutters iron bars, etc., complete as per specification.	" "	12
20	Cement pointing to basement	Sqr.	2·0
21	Flooring with burnt stone slabs and cement pointing ...	"	48·3
	Total		

The plans, detailed estimate and conditions may be seen at the Executive Engineer's Tumkur between the hours of 11 A.M. to 5 P.M. on working days.

Tenders should be submitted on printed forms which may be obtained from the ve Engineer. The tenders should be accompanied by a statement in the form given howing the rates at which the different items specified will be executed both in words ures.

Each tender must be accompanied by a deposit of Rs. 200 in cash or Government sory Notes, as earnest money and be superscribed "Tender for Constructing Primary at Kandikere, Chiknaikanhalli Taluk" in default of which, tenders will be rejected.,

The final acceptance of any tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender or to assign any reason er for the rejection of any tender.

Within eight days of the acceptance of the tender, the successful competitor will be d to execute the usual contract bond in default of which his tender will be cancelled, rnest money will be forfeited.

The name of the successful competitor, whose tender has been accepted, will be on the notice board in the Executive Engineer's Office in due course. No enquiries ing the acceptance or rejection of a tender will receive any reply.

On acceptance of one of the tenders, the earnest money on rejected tenders will be ed.

Percentage rates above or below the estimate amount will not be accepted.

). No claims for enhanced rates will be entertained on any account after acceptance lers.

. The contractor will be dealt with in terms of the bond for any short progress or

In matters of all disputes about rates, measurements, quality of work etc., and in all s of any kind the decision of the Chief Engineer will be final and legally binding on ntractor.

. Rates should be quoted both in words and figures for each item of work and lump- provisions are subject to modifications as per data worked out during execution. For nal items of work under lumpsum provisions the rates tendered for similar items of will be paid and for other items; the rates as per schedule of rates will be paid at the ion of the Executive Engineer.

Schedule of quantities.

Details	Unit	Quantity
Earthwork excavating foundation and filling in basement.	C.yds.	66
Stone jelly concrete in mortar	C.ft.	603
Burnt size stone in mud with bond stones at every six feet for foundation.	"	930
Burnt size stone in mud with bond stones at every six feet edges hammer dressed for basement.	"	515
Burnt brick in mud	"	764
Burnt brick in mortar for sides of doors and windows ...	"	444
Burnt stone slabs 6" thick roughly dressed	Sft.	252
Teakwood wrought and put up with wood oiling	C.ft.	114·68
Roofing with Mangalore pattern Tumkur or Yelahanka tiles on teak reepers with wood oiling to reepers nails, etc., complete.	Sqr.	18·94
Plastering with chunam	"	33·36
Teakwood battened doors 3½' x 6½' with 1½" thick shutter with painting, etc.	S.ft.	46
Teakwood battened windows 3' x 4½' without iron bars and with painting etc., complete.	"	54
Teakwood wicket gates 3½' x 8' with painting	"	30
White washing two coats	Sqr.	38·86
Chunam pointing	"	3·38